

Introduction

The purpose of the chapter is to:

- 1. Describe the anatomy of the respiratory system
- 2. Understand the physiology of the respiratory system
- 3. Describe the events that cause inhalation, exhalation, and gas exchange
- 4. Learn how oxygen and carbon dioxide are transported in the blood

Breathing and Respiration

- Respiration is the exchange of gases between the atmosphere, blood, and cells
- The combination of 3 processes is required for respiration to occur
 - Ventilation (breathing)
 - External (pulmonary) respiration
 - Internal (tissue) respiration
- The cardiovascular system assists the respiratory system by transporting gases

Pulmonary Ventilation

Interactions Animation:

Pulmonary Ventilation

You must be connected to the Internet and in Slideshow Mode to run this animation.

Structures of the Respiratory System

Structurally, the components of the respiratory system are divided into 2 parts:

- 1. Upper respiratory system
- 2. Lower respiratory system

Functionally, the components of the respiratory system are divided into 2 zones:

- 1. Conducting zone
- 2. Respiratory zone

Respiratory System Anatomy

Anatomy Overview:

The Respiratory System


You must be connected to the Internet and in Slideshow Mode to run this animation.

Respiratory System Tissues

Anatomy Overview:


Respiratory System Tissues

You must be connected to the Internet and in Slideshow Mode to run this animation.



Respiratory System Anatomy

- The upper respiratory system consists of the nose, pharynx, and associated structures
- The lower respiratory system consists of the larynx, trachea, bronchi, and lungs







Cartilaginous Framework of the Nose


The external portion of the nose is made of cartilage and skin and is lined with mucous membrane













Pharynx

The pharynx functions as a passageway for air and food, provides a resonating chamber for speech sounds, and houses the tonsils, which participate in immunological reactions against foreign invaders


> Regions of the pharynx Nasopharynx Oropharynx Laryngopharynx



















Bronchi

At the superior border of the 5th thoracic vertebrae, the trachea branches into a right primary bronchus which enters the right lung and a left primary bronchus which enters the left lung



Bronchi

Upon entering the lungs, the primary bronchi further divide to form smaller and smaller diameter branches


• The terminal bronchioles are the end of the conducting zone

BRANCHING OF BRONCHIAL TREE Trachea


> Main bronchi Lobar bronchi

Segmental bronchi Bronchioles


Terminal bronchioles
















Alveoli • When the MICROSCOPIC conducting zone AIRWAYS ends at the terminal RESPIRATORY BRONCHIOLES bronchioles, the respiratory zone ALVEOLAR DUCTS begins The respiratory zone ALVEOLAR SACS terminates at the alveoli, the "air sacs" ALVEOLI found within the

lungs









Respiratory Membrane

The respiratory membrane is composed of:

- 1. A layer of type I and type II alveolar cells and associated alveolar macrophages that constitutes the alveolar wall
- 2. An epithelial basement membrane underlying the alveolar wall
- 3. A capillary basement membrane that is often fused to the epithelial basement membrane
- 4. The capillary endothelium

Blood Supply to the Lungs

- Blood enters the lungs via the pulmonary arteries (pulmonary circulation) and the bronchial arteries (systemic circulation)
- Blood exits the lungs via the pulmonary veins and the bronchial veins
- Ventilation-perfusion coupling
 - Vasoconstriction in response to hypoxia diverts blood from poorly ventilated areas to well ventilated areas

Summary of the Str	uctures of the Respiratory Sys	stem		
STRUCTURE	EPITHELIUM	CILIA	GOBLET CELLS	SPECIAL FEATURES
NOSE				
Vestibule	Nonkeratinized stratified squamous.	No.	No.	Contains numerous hairs.
Respiratory region	Pseudostratified ciliated columnar.	Yes.	Yes.	Contains conchae and meatuses.
Olfactory region	Olfactory epithelium (olfactory receptors).	Yes.	No.	Functions in olfaction.
PHARYNX				
Nasopharynx	Pseudostratified ciliated columnar.	Yes.	Yes.	Passageway for air; contains internal nares, openings for auditory tubes, and pharyngea tonsil.
Oropharynx	Nonkeratinized stratified squamous.	No.	No.	Passageway for both air and food and drink contains opening from mouth (fauces).
Laryngopharynx	Nonkeratinized stratified squamous.	No.	No.	Passageway for both air and food and drink.
LARYNX	Nonkeratinized stratified squamous above the vocal folds; pseudostratified ciliated columnar below the vocal folds.	No above folds; yes below folds.	No above folds; yes below folds.	Passageway for air; contains vocal folds for voice production.
TRACHEA	Pseudostratified ciliated columnar.	Yes.	Yes.	Passageway for air; contains C-shaped ring of cartilage to keep trachea open.
Conducting structures	Respiratory structures			



STRUCTURE	EPITHELIUM	CILIA	GOBLET CELLS	SPECIAL FEATURES
BRONCHI				
Main bronchi	Pseudostratified ciliated columnar.	Yes.	Yes.	Passageway for air; contain C-shaped ring of cartilage to maintain patency.
Lobar bronchi	Pseudostratified ciliated columnar.	Yes.	Yes.	Passageway for air; contain plates of cartilage to maintain patency.
Segmental bronchi	Pseudostratified ciliated columnar.	Yes.	Yes.	Passageway for air; contain plates of cartilage to maintain patency.
Larger bronchioles	Ciliated simple columnar.	Yes.	Yes.	Passageway for air; contain more smooth muscle than in the bronchi.
Smaller bronchioles	Ciliated simple columnar.	Yes.	No.	Passageway for air; contain more smooth muscle than in the larger bronchioles.
Terminal bronchioles	Nonciliated simple columnar.	No.	No.	Passageway for air; contain more smooth muscle than in the smaller bronchioles.
LUNGS				
Respiratory bronchioles	Simple cuboidal to simple squamous.	No.	No.	Passageway for air; gas exchange.
Alveolar ducts	Simple squamous.	No.	No.	Passageway for air; gas exchange; produc surfactant.
Alveoli	Simple squamous.	No.	No.	Passageway for air; gas exchange; produc surfactant to maintain patency.
Conducting structures	Respiratory structures			



Pulmonary Ventilation

In pulmonary ventilation, air flows between the atmosphere and the alveoli of the lungs because of alternating pressure differences created by contraction and relaxation of respiratory muscles


Inhalation


Exhalation

Boyle's Law


Pressure changes that drive inhalation and exhalation are governed, in part, by Boyle's Law

 The volume of a gas varies inversely with its pressure

















Other Factors Affecting Pulmonary Ventilation

Surface tension

 Inwardly directed force in the alveoli which must be overcome to expand the lungs during each inspiration

Elastic recoil

Decreases the size of the alveoli during expiration


Compliance

• Ease with which the lungs and thoracic wall can be expanded

Breathing Patterns and Respiratory Movements

- Eupnea
- Apnea
- Dyspnea
- Tachypnea
- Costal breathing
- Diaphragmatic breathing

MOVEMENT	DESCRIPTION	
Coughing	A long-drawn and deep inhalation followed by a complete closure of the rima glottidis, which results in a strong exhalation that studdenly pushes the rima glottidis open and sends a blast of air through the upper respiratory passages. Stimulus for this reflex set may be a foreign body lodged in the largnet, traches, or epiglottis.	
Sneezing	Spasmodic contraction of muscles of exhalation that forcefully expels air through the nose and mouth. Stimulus may be an irritation of the nasal mucosa.	
Sighing	A long-drawn and deep inhalation immediately followed by a shorter but forceful exhalation.	
Yawning	A deep inhalation through the widely opened mouth producing an exaggerated depression of the mandible. It may be stimulated by drowsiness, or someone else's yawning, but the precise cause is unknown.	
Sobbing	A series of convulsive inhalations followed by a single prolonged exhalation. The rima glottidis closes earlier than after each inhalation so only a little air enters the longs with each inhalation.	
Crying	An inhalation followed by many short convulsive exhalations, during which the rima glottidis remains open and the vocal folds vibrate; accompanied by characteristic facial expressions and tears.	
Laughing	The same basic movements as crying, but the rhythm of the movements and the facial expressions usually differ from those of crying. Laughing and crying are sometimes indistinguishable.	
Hiccupping	Spasmodic contraction of the diaphragm followed by a spasmodic closure of the rima glottidis, which produces a sharp sound on inhalation. Stimulus is usually irritation of the sensory nerve endings of the gastrointestinal tract.	
Valsalva (val-SAL-va) maneuver	Forced exhalation against a closed rima glottidis as may occur during periods of straining while defecating.	
Pressurizing the middle ear	The nose and mouth are held closed and air from the lungs is forced through the auditory tube into the middle ear. Employed by those snotkeling or scuba diving during descent to equalize the pressure of the middle ear with that of the external environment.	





Lung Volumes and Capacities

Anatomy Overview:

Respiratory Volumes and Capacities

You must be connected to the Internet and in Slideshow Mode to run this animation.

Exchange of Oxygen and Carbon Dioxide

Dalton's law

 Each gas in a mixture of gases exerts its own pressure as if no other gases were present

Henry's law

 The quantity of a gas that will dissolve in a liquid is proportional to the partial pressure of the gas and its solubility coefficient when the temperature remains constant

External and Internal Respiration

During external respiration, oxygen will diffuse from the alveoli into the pulmonary capillaries

- CO₂ moves in the opposite direction

During internal respiration, oxygen will diffuse from the systemic capillaries into the tissue


CO₂ moves in the opposite direction

Gas Exchange

Interactions Animation:

Gas Exchange

You must be connected to the Internet and in Slideshow Mode to run this animation.





Transport of O_2 and CO_2 in the Blood

Oxygen:

- 1.5% of the O_2 is dissolved in the plasma
- 98.5% of the O_2 is carried by hemoglobin (Hb)

Carbon dioxide:

- 7% of the CO₂ is dissolved in the plasma
- 23% of the CO₂ is carried by Hb inside red blood cells as carbaminohemoglobin
- 70% of the CO_2 is transported as bicarbonate ions (HCO_3)

Transport of Oxygen and Carbon Dioxide


Interactions Animation:

Gas Transport


You must be connected to the Internet and in Slideshow Mode to run this animation.


Factors Affecting the Affinity of Hb for O_2


- PO₂
- pH
- Temperature
- BPG
- Type of Hb

































Control of Respiration

Cortical influences

 Allow conscious control of respiration that may be needed to avoid inhaling noxious gases or water

Chemoreceptor

 Central and peripheral chemoreceptors monitor levels of O₂ and CO₂ and provide input to the respiratory center

Regulation of Ventilation

Interactions Animation:

Regulation of Ventilation


You must be connected to the Internet and in Slideshow Mode to run this animation.

Structures That Control Respiration

Anatomy Overview:

Structures That Control Respiration

You must be connected to the Internet and in Slideshow Mode to run this animation.



Control of Respiration

Hypercapnia

- A slight increase in PCO₂ (and thus H⁺)
- Stimulates central chemoreceptors

Hypoxia

- Oxygen deficiency at the tissue level
- Caused by a low PO₂ in arterial blood due to high altitude, airway obstruction or fluid in the lungs

Regulation of Blood pH

Interactions Animation:

Role of the Respiratory System in pH Regulation

You must be connected to the Internet and in Slideshow Mode to run this animation.




TABLE 23.3

Stable 23.3

Summary of Stimuli That Affect Breathing Rate and Depth


Stimuli That Increase Breathing Rate and Break Bre Prolonged pain. Decrease in blood pressure. Stretching of anal sphincter.

STIMULI THAT DECREASE BREATHING RATE AND DEPTH Irritation of pharynx or larynx by touch or cher by coughing or sneezing).

Exercise and the Respiratory System

The respiratory and cardiovascular systems make adjustments in response to both the intensity and duration of exercise

- As cardiac output rises, the blood flow to the lungs, termed pulmonary perfusion, increases as well
- The O₂ diffusing capacity may increase threefold during maximal exercise so there is a greater surface area available for O₂ diffusion





Aging and the Respiratory System

Aging results in decreased:

- Vital capacity
- Blood O₂ level
- Alveolar macrophage activity
- Ciliary action of respiratory epithelia

Consequently, elderly people are more susceptible to pneumonia, bronchitis, emphysema, and other issues





Disorders: Homeostatic Imbalances

- Asthma
- Chronic obstructive pulmonary disease
- Lung cancer
- Pneumonia
- Tuberculosis
- Common cold
- Pulmonary edema
- Cystic fibrosis
- Asbestos-related diseases
- Sudden infant death syndrome
- Acute respiratory distress

End of Chapter 23

Copyright 2014 John Wiley & Sons, Inc.

All rights reserved. Reproduction or translation of this work beyond that permitted in section 117 of the 1976 United States Copyright Act without express permission of the copyright owner is unlawful. Request for further information should be addressed to the Permission Department, John Wiley & Sons, Inc. The purchaser may make back-up copies for his/her own use only and not for distribution or resale. The Publisher assumes no responsibility for errors, omissions, or damages caused by the use of these programs or from the use of the information herein.